Population health profile of the

Mornington Peninsula

Division of General Practice: supplement

Population Profile Series: No. 52a

DOING

March 2007







Copyright

© Commonwealth of Australia 2007

This work may be reproduced and used subject to acknowledgement of the source of any material so reproduced.

National Library of Australia Cataloguing in Publication entry

Population health profile of the Mornington Peninsula Division of General Practice: supplement.

Bibliography.

ISBN 9780730896500 (web).

- 1. Public health Victoria Mornington Peninsula Statistics.
- 2. Health status indicators Victoria Mornington Peninsula
- Statistics. 3. Health service areas- Victoria Mornington

Peninsula. 4. Mornington Peninsula (Vic.) - Statistics,

Medical. I. Public Health Information Development Unit

(Australia). (Series : Population profile series ; no. 52a).

362.1099452

ISSN 1833-0452 Population Profile Series

Public Health Information Development Unit, The University of Adelaide A Collaborating Unit of the Australian Institute of Health and Welfare

This profile was produced by PHIDU, the Public Health Information Development Unit at The University of Adelaide, South Australia. The work was funded under a grant from the Australian Government Department of Health and Ageing. The views expressed in this profile are solely those of the authors and should not be attributed to the Department of Health and Ageing or the Minister for Health and Ageing.

Interpretation of differences between data in this profile and similar data from other sources needs to be undertaken with care, as such differences may be due to the use of different methodology to produce the data.

Suggested citation:

PHIDU. (2007) Population health profile of the Mornington Peninsula Division of General Practice: supplement. Population Profile Series: No. 52a. Public Health Information Development Unit (PHIDU), Adelaide.

Enquiries about or comments on this publication should be addressed to:

PHIDU, The University of Adelaide, South Australia 5005

Phone: 08-8303 6236 or e-mail: PHIDU@publichealth.gov.au

This publication, the maps and supporting data, together with other publications on population health, are available from the PHIDU website (www.publichealth.gov.au).

Published by Public Health Information Development Unit, The University of Adelaide

Contributors: Anthea Page, Sarah Ambrose, Kristin Leahy and John Glover

Population health profile

of the Mornington Peninsula Division of General Practice: supplement

This profile is a supplement to the *Population health profile of the Mornington Peninsula Division of General Practice*, dated November 2005, available from www.publichealth.gov.au. This supplement includes an update of the population of the Mornington Peninsula Division of General Practice, as well as additional indicators and aspects of the Division's socioeconomic status, use of GP services and health. The contents are:


- Population [updated to June 2005]
- Additional socio-demographic indicators
- Unreferred attendances patient flow/ GP catchment
- Additional prevalence estimates: chronic diseases and risk factors combined
- Avoidable hospitalisations: hospital admissions resulting from ambulatory care sensitive conditions
- Avoidable mortality

For further information on the way Division totals in this report have been estimated, please refer to the 'Notes on the data' section of the *Population health profile*, November 2005 (www.publichealth.gov.au).

Population

The Mornington Peninsula Division had an Estimated Resident Population of 279,268 at 30 June 2005.

Figure 1: Annual population change, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1991 to 1996, 1996 to 2001 and 2001 to 2005




Over the five years from 1991 to 1996, the Division's population increased by 1.1% on average each year, higher than in Melbourne (0.8%), Victoria (0.6%) and consistent with the growth in Australia as a whole (1.2%). From 1996 to 2001, the annual percentage increase in the Division was 1.8%, higher than for the other areas (1.2% and 1.3%). The growth rate was 1.2% per year on average from 2001 to 2005, compared to annual increases of 1.0% for Melbourne and Victoria, and 1.1% for Australia.

Table 1: Population by age, Mornington Peninsula DGP and Australia, 2005

Age group (years)	Mornington Peninsula DGP		Austral	ia
	No.	%	No.	%
0-14	53,730	19.2	3,978,221	19.6
15-24	34,770	12.5	2,819,834	13.9
25-44	75,585	27.1	5,878,107	28.9
45-64	70,215	25.1	4,984,446	24.5
65-74	22,966	8.2	1,398,831	6.9
75-84	16,704	6.0	954,143	4.7
85+	5,299	1.9	315,027	1.5
Total	279,268	100.0	20,328,609	100.0

As shown in the accompanying table and the age-sex pyramid below (Figure 2), the Mornington Peninsula DGP had similar proportions to Australia at ages below 65 years. The age groups 65 years and over all had higher proportions.


Figure 2: Population in Mornington Peninsula DGP and Australia, by age and sex, 2005



The most notable differences in the age distribution of the Division's population (when compared to Australia overall) are:

- at younger ages slightly lower proportions at ages 0 to 9 years and 15 to 19 years;
- from 20 to 49 years lower proportions of males and females (with the exception of the 35 to 39 year age group); and
- at 55 years and over higher proportions of both males and females.

Figure 3: Population projections for Mornington Peninsula DGP, by age and sex, 2005 and 2020




The population projections for the Division show a number of changes in age distribution, with the 2020 population projected to have:

- at younger ages lower proportions of children and teenagers, aged 0 to 19 years;
- from 20 to 49 years lower proportions of both males and females; and
- from 50 years onwards higher proportions of both males and females.

Additional socio-demographic indicators

Please refer to the earlier *Population health profile of the Mornington Peninsula Division of General Practice*, dated November 2005, available from www.publichealth.gov.au, for other socio-demographic indicators.

Figure 4: Index of Relative Socio-Economic Disadvantage, Mornington Peninsula DGP, 2001



One of four socioeconomic indexes for areas produced at the 2001 ABS Census is the Index of Relative Socio-Economic Disadvantage.

The Mornington Peninsula DGP has an index score of 1012, above the score for Australia of 1000: this score varies across the Division, from 902 in the most disadvantaged areas to 1110 in the least disadvantaged areas.

Note: each 'quintile' comprises approximately 20% of the population of the Division.

A new indicator, produced for the first time at the 2001 ABS Census, shows the number of jobless families with children under 15 years of age. There were slightly more jobless families in the Mornington Peninsula DGP (15.5%), compared to Melbourne as a whole (14.7%) (Figure 5, Table 2).

With the introduction of the 30% rebate for private health insurance premiums, there was a once-off registration process, providing information of the postcode and residence of those who had such insurance (these data are not available at this area level for later dates). In 2001, the Division had a slightly lower proportion of people with private health insurance (46.5%), compared to Melbourne (49.2%) (Figure 5, Table 2).

Figure 5: Socio-demographic indicators, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 2001

Jobless families with children under 15 years old



Private health insurance, 30 June




Table 2: Socio-demographic indicators, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 2001

Indicator	Mornington Peninsula DGP		Melbou	Melbourne		Victoria		Australia	
	No.	%	No.	%	No.	%	No.	%	
Jobless families with children under 15 years old	4,390	15.5	52,418	14.7	77,142	15.4	357,563	17.4	
Private health insurance (30 June)	118,297	46.5	1,653,598	49.2	2,196,890	47.5	8,671,106	46.0	

Details of the distribution of jobless families and of the population covered by private health insurance are shown by Statistical Local Area (SLA) in Maps 1 and 2, respectively.

Map 1: Jobless families with children under 15 Map 2: People covered by private health years of age by SLA, Mornington Peninsula DGP, insurance by SLA, Mornington Peninsula DGP, 2001 30 June 2001



GP services to residents of the Mornington Peninsula DGP

The following tables include information, purchased from Medicare Australia, of the movement of patients and GPs between Divisions. Note that the data only include unreferred attendances recorded under Medicare: unreferred attendances not included are those for which the cost is met by the Department of Veterans' Affairs or a compensation scheme; or are provided by salaried medical officers in hospitals, community health services or Aboriginal Medical Services, and which are not billed to Medicare. At any attendance, one or more services may have been provided.

More than four fifths (82.5%) of all unreferred attendances to residents of Mornington Peninsula DGP were provided in the Division (i.e. by a GP with a provider number in the Division): this represented 1,025,838 GP unreferred attendances (Table 3). A further 4.6% of unreferred attendances to residents were provided by GPs with a provider number in Central Bayside DGP.

Table 3: Patient flow – People living¹ in Mornington Peninsula DGP by Division where attendance occurred², 2003/04

Division		Unreferred at	ttendances
Number	Name	No.	% ³
316	Mornington Peninsula DGP	1,025,838	82.5
313	Central Bayside DGP	56,914	4.6
315	Dandenong District DGP	52,976	4.3
304	Southcity DGP	16,333	1.3
301	Melbourne DGP	14,769	1.2
311	Greater South Eastern DGP	13,057	1.1
312	Monash DGP	12,317	1.0
Other		51,058	4.1
Total		1,243,262	100.0

¹ Based on address in Medicare records

The majority (89.1%) of unreferred attendances provided by GPs with a provider number in Mornington Peninsula DGP were also to people living in the Division (i.e. their Medicare address was in the Division) (Table 4). A further 4.4% of unreferred attendances provided by GPs in the Division were to residents of Central Bayside DGP.

Table 4: GP catchment – Unreferred attendances provided by GPs¹ in Mornington Peninsula DGP by Division of patient address², 2003/04

Division		Unreferred a	Unreferred attendances			
Number	Name	No.	% ³			
316	Mornington Peninsula DGP	1,025,838	89.1			
315	Dandenong District DGP	50,142	4.4			
313	Central Bayside DGP	25,214	2.2			
301	Melbourne DGP	4,992	0.4			
Other		45,094	3.9			
Total		1,151,280	100.0			

¹ Division of GP based on provider number

² Division of GP based on provider number

³ Proportion of all unreferred attendances of patients with an address in Division 316 by Division in which attendance occurred

² Based on address in Medicare records

³ Proportion of all unreferred attendances to GPs with a provider number in Division 316 by Division of patient address

Additional prevalence estimates: chronic diseases and risk factors combined

Please refer to the earlier *Population health profile of the Mornington Peninsula Division of General Practice*, dated November 2005, available from www.publichealth.gov.au, for the separate prevalence estimates of chronic disease; measures of self-reported health and risk factors. The process by which the estimates have been made, and details of their limitations, are also described in the 'Notes on the data' section of this earlier profile.

In this section two estimates, which combine the prevalence of selected chronic diseases with a risk factor, are shown for the Division. The measures are of people who *had asthma and were smokers*, and people who *had type 2 diabetes and were overweight or obese*: note that the estimates have been predicted from self-reported data, and are not based on clinical records or physical measures.

It is estimated that there were relatively more people in Mornington Peninsula DGP who had asthma and were smokers, compared to Melbourne or Australia as a whole (Figure 6, Table 5): that is, the prevalence rates per 1,000 population were higher. In contrast, there were marginally fewer people in Mornington Peninsula DGP who had type 2 diabetes and were overweight/ obese, compared to Melbourne or Australia.

Figure 6: Estimates of selected chronic diseases and risk factors, Mornington Peninsula DGP, Melbourne and Australia, 2001




Table 5: Estimates of selected chronic diseases and risk factors, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 2001

Variable	Mornington Peninsula DGP		Melbo	Melbourne		Victoria		Australia	
	No. ¹	Rate ²	No. ¹	Rate ²	No.1	Rate ²	No. ¹	Rate ¹	
Had asthma & smoked ³	5,578	22.7	66,240	18.4	95,664	19.9	397,734	20.8	
Had type 2 diabetes & were overweight/ obese ⁴	4,086	14.8	50,057	15.6	69,192	15.1	283,176	15.2	

¹ No. is a weighted estimate of the number of people in Mornington Peninsula DGP reporting these chronic conditions/ with these risk factors and is derived from synthetic predictions from the 2001 NHS

² Rate is the indirectly age-standardised rate per 1,000 population

³ Population aged 18 years and over

⁴ Population aged 15 years and over

Avoidable hospitalisations: hospital admissions resulting from ambulatory care sensitive conditions

The rationale underlying the concept of avoidable hospitalisations is that timely and effective care of certain conditions, delivered in a primary care setting, can reduce the risk of hospitalisation. Admissions to hospital for these ambulatory care sensitive (ACS) conditions can be avoided in three ways. Firstly, for conditions that are usually preventable through immunisation or nutritional intervention, disease can be prevented almost entirely. Secondly, diseases or conditions that can lead to rapid onset problems, such as dehydration and gastroenteritis, can be treated. Thirdly, chronic conditions, such as congestive heart failure, can be managed to prevent or reduce the severity of acute flare-ups to avoid hospitalisation.

This measure does not include other aspects of avoidable morbidity, namely potentially preventable hospitalisations (hospitalisations resulting from diseases preventable through population based health promotion strategies, e.g. alcohol-related conditions; and most cases of lung cancer) and hospitalisations avoidable through injury prevention (e.g. road traffic accidents).

For information on the ambulatory care sensitive conditions and ICD codes included in the analysis in this section, please refer to the *Atlas of Avoidable Hospitalisations in Australia: ambulatory care-sensitive conditions*, available from www.publichealth.gov.au.

In 2001 to 2002, the 10,012 admissions from ambulatory care sensitive (ACS) conditions accounted for 9.4% of all admissions in the Mornington Peninsula DGP (Table 6, Figure 7), slightly above the levels in Victoria (8.8%) and Australia (8.7%). However, the rate of these admissions is notably (14.8%) above that in Victoria.

Table 6: Avoidable¹ and unavoidable hospitalisations, Mornington Peninsula DGP, Victoria, and Australia, 2001/02

Category	Morning	ton Peninsu	ıla DGP	Victoria			Australia			
	No.	Rate ²	%	No.	Rate ²	%	No.	Rate ²	%	
Avoidable ¹	10,012	3,427.8	9.4	145,135	2,983.2	8.8	552,786	2,847.5	8.7	
Unavoidable	96,374	34,269.8	90.6	1,510,437	31,088.3	91.2	5,818,199	29,970.7	91.3	
Total	106,387	37,703.6	100.0	1,655,572	34,071.5	100.0	6,370,985	32,818.2	100.0	

¹ Admissions resulting from ACS conditions

Figure 7: Avoidable hospitalisations¹, Mornington Peninsula DGP, Victoria and Australia, 2001/02



The rate of avoidable hospitalisations in Mornington Peninsula DGP, 3,427.8 admissions per 100,000 population, is notably higher than the rate in Victoria (a rate of 2,983.2) and markedly above that for Australia (2,847.5).


Diabetes complications, angina, chronic obstructive pulmonary disease, dental conditions and congestive heart failure were the five conditions with the highest rates of avoidable hospitalisations in the Mornington Peninsula DGP (Figure 8, Table 7).

Table 7 shows the number, rate and proportion of avoidable hospitalisations, for the individual ACS conditions, as well as the vaccine-preventable; acute; and chronic sub-categories. The majority of avoidable hospitalisations are attributable to chronic health conditions. The predominance of hospitalisations for chronic conditions in this period can be primarily attributed to the large number of admissions for diabetes complications. Dental conditions, and convulsions and epilepsy have the highest rates of avoidable hospitalisations for the acute conditions.

² Rate is the indirectly age-standardised rate per 100,000 population

¹ Admissions resulting from ACS conditions

Figure 8: Avoidable hospitalisations¹ by condition, Mornington Peninsula DGP and Victoria, 2001/02



¹ Admissions resulting from ACS conditions: excludes nutritional deficiencies as less than ten admissions

Table 7: Avoidable hospitalisations¹ by condition, Mornington Peninsula DGP, Victoria and Australia, 2001/02

Sub-category/ condition	Mornir Peninsul		Victo	oria	Austr	ralia
-	No.	Rate ²	No.	Rate ²	No.	Rate ²
Vaccine-preventable	160	56.3	3,293	68.0	16,573	85.4
Influenza and pneumonia	132	45.7	2,525	52.0	13,021	67.1
Other vaccine preventable	28	10.6	768	16.0	3,552	18.3
Chronic ³	7,018	2,289.0	97,133	1,982.6	352,545	1,816
Diabetes complications	3,259	1,063.8	44,409	906.9	141,345	728.1
Iron deficiency anaemia	259	86.4	5,196	105.9	16,451	84.7
Hypertension	58	19.1	1,362	27.7	6,354	32.7
Congestive heart failure	833	256.5	11,655	234.1	42,447	218.6
Angina	1,105	356.4	12,285	250.4	49,963	257.4
Chronic obstructive pulmonary disease	952	297.5	12,850	260.7	54,853	282.6
Asthma	552	209.3	9,376	196.9	41,009	211.3
Acute	3,049	1,129.9	50,153	1,041.7	200,913	1,035
Dehydration and gastroenteritis	532	188.6	9,761	200.0	37,766	194.5
Convulsions and epilepsy	515	195.3	7,297	152.4	31,137	160.4
Ear, nose and throat infections	426	164.9	6,653	140.5	32,075	165.2
Dental conditions	722	275.7	12,235	256.7	43,667	224.9
Perforated/bleeding ulcer	97	31.4	1,618	32.9	5,795	29.9
Ruptured appendix	41	15.8	855	17.9	3,866	19.9
Pyelonephritis	113	42.5	1,948	40.2	7,386	38.0
Pelvic inflammatory disease	114	45.2	1,693	34.8	6,547	33.7
Cellulitis	404	142.6	6,751	139.0	28,204	145.3
Gangrene	85	27.9	1,342	27.3	4,470	23.0
Total avoidable hospitalisations ⁴	10,012	3,427.8	145,135	2,983.2	552,786	2,847.5

¹ Admissions resulting from ACS conditions

² Rate is the indirectly age-standardised rate per 100,000 population

³ Excludes nutritional deficiencies as less than ten admissions

⁴ Sub-category and condition numbers and rates do not add to the reported total avoidable admissions: five conditions (influenza & pneumonia, other vaccine preventable, diabetes complications, ruptured appendix and gangrene) are counted in 'any diagnosis', so may be included in more than one condition group

Avoidable mortality

Avoidable and amenable mortality comprises those causes of death that are potentially avoidable at the present time, given available knowledge about social and economic policy impacts, health behaviours, and health care (the latter relating to the subset of amenable causes).

For information on the avoidable and amenable mortality conditions and ICD codes included in the analysis in this section, please refer to the *Australian and New Zealand Atlas of Avoidable Mortality*, available from www.publichealth.gov.au.

Over two-thirds (71.8%) of all deaths in Mornington Peninsula DGP at ages 0 to 74 years over the period 1997 to 2001 are considered to be avoidable, consistent with the proportion for Melbourne (71.0%) (Table 8). Deaths amenable to health care (amenable mortality, a subset of avoidable mortality) accounted for 27.8% of all deaths at ages 0 to 74 years in Mornington Peninsula DGP, slightly lower than the 28.7% in Melbourne.

Table 8: Avoidable and unavoidable mortality (0 to 74 years) by area, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001

Mortality category	Mornington Peninsula DGP		Melbo	Melbourne		Victoria		Australia	
	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	
Avoidable	2,820	209.6	30,654	193.0	45,466	201.3	189,845	211.8	
% of total	71.8	••	71.0		70.9	••	71.5	••	
(Amenable)	(1,091)	(79.7)	(12,406)	(78.4)	(18,406)	(81.4)	(76,249)	(85.1)	
(% of total)	(27.8)	()	(28.7)	()	(28.7)	()	(28.7)	()	
Unavoidable	1,106	81.2	12,517	79.1	18,617	82.4	75,582	84.3	
% of total	28.2	••	29.0		29.1	••	28.5	••	
Total mortality	3,925	290.8	51,477	272.1	64,083	283.7	265,427	296.1	
%	100.0		100.0		100.0	••	100.0		

¹ Rate is the indirectly age-standardised rate per 100,000 population

Rates of avoidable mortality were higher for males than for females in each of the comparator areas. Mornington Peninsula DGP's rate of avoidable mortality for males was 264.0 deaths per 100,000 males, higher than the rate of 154.2 for females. The rate of amenable mortality for males in the Division was also higher, 89.0, compared to 70.3 for females, a rate ratio of 1.27 (Figure 9, Table 9).

Figure 9: Avoidable and amenable mortality by sex (0 to 74 years), Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001




Table 9: Avoidable and amenable mortality (0 to 74 years) by sex, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001

Mortality category and sex	Mornington Peninsula DGP		Melbo	Melbourne		Victoria		Australia	
	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	
Avoidable									
Males	1,757	264.0	19,378	244.5	29,042	257.0	123,026	272.6	
Females	1,063	154.2	11,276	140.7	16,424	144.8	66,819	150.1	
Total	2,820	209.6	30,354	193.0	45,466	201.3	189,845	211.8	
Rate ratio-M:F ²		1.71**		1.74**		1.77**		1.82**	
Amenable									
Males	606	89.0	6,667	84.9	10,052	88.9	42,568	94.3	
Females	485	70.3	5,739	71.8	8,354	73.7	33,681	75.7	
Total	1,091	79.7	12,406	78.4	18,406	81.4	76,249	85.1	
Rate ratio-M:F ²		1.27**		1.18**		1.21**		1.25**	

¹ Rate is the indirectly age-standardised rate per 100,000 population

Another way of measuring premature mortality is to calculate the number of years of life lost (YLL)¹, which takes into account the years a person could have expected to live at each age of death based on the average life expectancy at that age.

The numbers of YLL for Mornington Peninsula DGP, Melbourne, Victoria and Australia over the period of analysis are shown in Table 10 by mortality category. However, given the substantial variation in the populations of these areas, a comparison of the proportion of YLL for each area is also shown.

YLL from avoidable mortality accounted for 72.5% of total YLL (0 to 74 years) for Mornington Peninsula DGP, slightly higher than the proportion for Melbourne. The proportion of YLL from amenable mortality for Mornington Peninsula DGP (26.9%), was lower than that for Melbourne (28.1%).

Table 10: Years of life lost from avoidable mortality (0 to 74 years), Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001

Mortality category	Mornington Peninsula DGP		Melbourne		Victoria		Australia	
	No.	% of	No.	% of	No.	% of	No.	% of
		total		total		total		total
Avoidable	48,395	72.5	536,388	71.6	790,054	71.5	3,327,375	71.9
(Amenable)	(17,946)	(26.9)	(210,627)	(28.1)	(310,758)	(28.1)	(1,298,430)	(28.0)
Unavoidable	18,362	27.5	212,979	28.4	315,555	28.5	1,303,289	28.1
Total	66,757	100.0	749,368	100.0	1,105,610	100.0	4,630,664	100.0

² Rate ratio (M:F) is the ratio of male to female rates; rate ratios differing significantly from 1.0 are shown with * p <0.05; ** p <0.01

¹ Years of life lost were calculated using the remaining life expectancy method (this provides an estimate of the average time a person would have lived had he or she not died prematurely). The reference life table was the Coale and Demeny Model Life Table West level 26 female (for both males and females), with the YLL discounted to net present value at a rate of 3 per cent per year.

In each of the areas in Table 11, the majority of avoidable mortality at ages 0 to 74 years occurred in the 65 to 74 year age group (Table 11), with 1,273.5 deaths per 100,000 population in the Mornington Peninsula Division. The 45 to 64 year age group accounted for the next highest rate of avoidable death in all of the comparators, with a rate 311.1 in the Mornington Peninsula Division.

Table 11: Avoidable and amenable mortality by age, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001

Mortality category and age (years)	Mornington Peninsula DGP		Melbo	ourne	Victo	Victoria		Australia	
	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	
Avoidable									
0-14	62	23.5	874	26.0	1,290	27.1	5,669	28.8	
15-24	97	60.1	1,120	45.2	1,627	49.3	7,045	52.8	
25-44	354	96.8	4,090	75.6	5,705	78.9	24,356	83.9	
45-64	913	311.1	10,123	273.0	15,004	286.9	64,282	304.9	
65-74	1,395	1,273.5	14,447	1265.1	21,840	1306.6	88,493	1,358.1	
Total	2,820	209.6	30,654	193.0	45,466	201.3	189,845	211.8	
Amenable									
0-24	58	13.3	836	14.6	1,189	14.9	5,083	15.4	
25-44	73	19.5	963	18.0	1,382	19.1	5,946	20.5	
45-64	379	128.1	4,398	118.2	6,489	123.8	27,464	130.3	
65-74	582	530.7	6,209	542.7	9,348	558.6	37,756	579.4	
Total	1,091	79.7	12,406	78.4	18,406	81.4	76,249	85.1	

¹ Rate is the indirectly age-standardised rate per 100,000 population

Table 12 shows the number and age-standardised death rate by selected major condition group and selected causes included in the avoidable mortality classification.

The highest rates of avoidable mortality for the selected major condition groups in the Mornington Peninsula DGP were for cancer, with a rate of 71.2 deaths per 100,000 population, and cardiovascular diseases, 61.1 deaths per 100,000 population (Table 12, Figure 10). For the selected causes within the condition groups, the two major causes of avoidable mortality were ischaemic heart disease and lung cancer, with rates of 42.8 per 100,000 population and 26.0 per 100,000, respectively.


Table 12: Avoidable mortality (0 to 74 years) by major condition group and selected cause, Mornington Peninsula DGP, Melbourne, Victoria and Australia, 1997 to 2001

Condition group/	Morni	ngton	Melbo	urne	Victo	oria	Austi	ralia
selected cause	Peninsu	la DGP						
	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹	No.	Rate ¹
Cancer	979	71.2	10,739	67.9	15,813	69.8	62,338	69.5
Colorectal cancer	209	15.1	2,218	14.1	3,351	14.8	13,008	14.5
Lung cancer	363	26.0	3,505	22.3	5,244	23.1	21,208	23.7
Cardiovascular diseases	857	61.1	8,946	56.8	13,612	60.0	59,945	66.9
Ischaemic heart disease	599	42.8	6,377	40.6	9,809	43.3	43,712	48.8
Cerebrovascular diseases	205	14.5	2,013	12.7	2,947	12.9	12,558	14.0
Respiratory system diseases	205	14.2	1,644	10.4	2,621	11.5	11,612	13.0
Chronic obstructive pulmonary disease	180	12.3	1,451	9.2	2,339	10.2	10,395	11.6
Unintentional injuries	252	21.6	2,394	14.6	3,536	15.9	14,224	15.9
Road traffic injuries	140	12.0	1,192	7.3	1,931	8.7	8,138	9.1
Intentional injuries	173	14.9	2,074	12.6	3,020	13.6	13,891	15.5
Suicide and self inflicted injuries	161	13.9	1,877	11.4	2,752	12.3	12,393	13.8

¹ Rate is the indirectly age-standardised rate per 100,000 population

Rates in the Division were generally above or consistent with those in Melbourne and Australia: the two exceptions were the lower rates for cardiovascular diseases – total and Ischaemic heart disease (Figure 10).

Figure 10: Avoidable mortality (0 to 74 years) by major condition group and selected cause, Mornington Peninsula DGP, Melbourne and Australia, 1997 to 2001



Notes on the data

Data sources and limitations

General

References to 'Melbourne' relate to the Melbourne Statistical Division.

Data sources

Table 13 details the data sources for the material presented in this profile.

Table 13: Data sources

Section	Source			
Population				
Figures 1 and 2; Table 1	Estimated Resident Population, ABS, 30 June for the periods shown			
Figure 3	Estimated Resident Population, ABS, 30 June 2005; Population Projections, ABS, 30 June 2020 (unpublished) ¹			
Additional socio-demographic indicators				
Figure 4	ABS SEIFA package, Census 2001			
Table 2; Figure 5; Map 1	Jobless families, ABS, 2001 (unpublished)			
Table 2; Figure 5; Map 2	Private health insurance, from Hansard			
GP services – patient flow/ GP catchment				
Tables 3 and 4	Medicare Australia, 2003/04			
Additional prevalence estimates: chronic diseases and risk factors combined				
Figure 6; Table 5	Estimated from 2001 National Health Survey (NHS), ABS (unpublished)			
Avoidable hospitalisations: hospital admissions resulting from ambulatory care sensitive conditions				
Tables 6 and 7; Figures 7 and 8	Hational Hospital Morbidity Database at Australian Institute of Health & Welfare, 2001/02; data produced in HealthWIZ by Prometheus Information (not available in public release dataset)			
Avoidable mortality				
Tables 8, 9, 10, 11 and 12; Figures 9 and 10	ABS Deaths 1997-2001; data produced in HealthWIZ by Prometheus Information (not available in public release dataset)			

¹ The projected population at June 2020 is based on the 2002 ERP. As such, it is somewhat dated, and does not take into account more recent demographic trends: it is however the only projection series available at the SLA level for the whole of Australia.

Methods

For background information on the additional prevalence estimates presented in this profile, please refer to the 'Notes on the data' section of the *Population health profile*, November 2005 (www.publichealth.gov.au).

Please also refer to the November 2005 profile for information on the data converters.

Mapping

In some Divisions the maps may include a very small part of an SLA which has not been allocated any population; or has a population of less than 100 or has less than 1% of the SLAs total population; or there were less than five cases (i.e. jobless families, people with health insurance): these areas are mapped with a pattern.

Statistical geography of the Mornington Peninsula DGP

For information on the postcodes in the Division, please refer the Department of Health and Ageing website http://www.health.gov.au/internet/wcms/publishing.nsf/Content/health-pcd-programs-divisions-divspc.htm; also included in table format in the 'Notes on the data' section of the *Population health profile*, November 2005 (www.publichealth.gov.au).

Statistical Local Areas (SLAs) are defined by the Australian Bureau of Statistics to produce areas for the presentation and analysis of data. In this Division, Local Government Areas (LGAs) have been split into SLAs. For example, the LGA of Frankston has two SLAs, East (a majority of which is in the Division) and West (wholly in the Division). These SLAs, and all or parts of the other SLAs listed comprise the Division (Table 14).

Table 14: SLAs and population in Mornington Peninsula DGP, 2005 on 2001 boundaries

SLA code	SLA name	Per cent of the SLA's population in the Division*	Estimate of the SLA's 2005 population in the Division
21618	Casey - South	16.1	2,012
22171	Frankston - East	90.6	40,502
22174	Frankston - West	100.0	75,855
23434	Kingston - South	58.1	26,758
25341	Mornington Peninsula - East	85.6	32,423
25344	Mornington Peninsula - South	100.0	48,117
25345	Mornington Peninsula - West	100.0	53,602

^{*} Proportions are approximate and are known to be incorrect in some cases, due to errors in the concordance used to allocate CDs to form postal areas. In addition, in a small number of cases, part(s) of an SLA can be allocated to another Division, sometimes several hundred kilometres away. Although adjustments have not been made to the concordance to correct these errors, the affected SLAs are highlighted in the table (shown in bold italic typeface)

Acknowledgements

Funding for these profiles was provided by the Population Health Division of the Department of Health and Ageing (DoHA).

Further developments and updates

When the re-aligned boundaries are released and DoHA have made known their geographic composition, PHIDU will examine the need to revise and re-publish these profiles (*Population health profile*, dated November 2005, and the *Population health profile*: supplement, dated March 2007).

PHIDU contact details

For general comments, data issues or enquiries re information on the web site, please contact PHIDU:

Phone: 08-8303 6236 or e-mail: PHIDU@publichealth.gov.au